



Room A



Room B









Material Quantity:

Room	Meter	Strips	Rolls	sqm
A	100	67		
B	93	62		
Total		129	4	30

Regufoam Dämmstreifen / Breite: 120 mm					
Lagerabstand in mm	Verkehrslast in KN/m²				
	1	2	3	4	5
400					
450					
500					
550					
600					
650					
700					0.044
750					0.047
800					0.050
850				0.043	0.053
900				0.045	
950				0.048	
1000				0.050	
1050				0.053	
1100				0.055	
1150			0.043		
1200			0.045		
1250			0.047		
1300			0.049		

Die Streifen sind in 12,5 und 25 mm Dicke verfügbar, Länge 1500 mm

Die Streifen dürfen bezüglich der Belastung nur Kurzzeitig überlastet werden. Bei Dauerbelastung darf die ausgewählten Verkehrslast nicht überschritten werden!


	Regufoam vibration 190 plus
	Regufoam vibration 220 plus
	Regufoam vibration 270 plus
	Regufoam vibration 300 plus
	Regufoam vibration 400 plus
	Regufoam vibration 510 plus

Es sind die Verarbeitungsrichtlinien des Herstellers zu beachten. Zuschnitte aus Regufoam® fertigen wir mit Maßtoleranzengem. ISO 3302-1:1996(E). Die Toleranzen gelten nur bei Normalklima + 23 °C, 50 % relative Luftfeuchtigkeit.


Stand Oktober 2014

Regufoam® vibration 190 plus – Strips in dimension 120 x 12,5 x 1.500 mm


Load Deflection



Natural Frequency



Vibration Isolation



Exclusion of Liability

Technical services and offers based on these are subject to our General Terms and Conditions of sale, a copy of which can be found on our website www.bsw-vibration-technology.com. Special attention should be paid to paragraphs 4 and 5. In so far, please be advised as follows: Our expertise is the development and manufacturing of products. With our recommendation we can only assist you in selecting a product that is suitable for your demand. However, we cannot act as your architect or consulting expert. This would only be possible subject to a separately concluded service contract that we would have to bill you for. Such contracts are not part of our scope of supply and services. Hence, our recommendation does not lay claim for its correctness. The technical information given in the documents are guideline values. They are liable to manufacturing tolerances, which may vary depending on the type of underlying properties.